ELSEVIER

Journal of Non-Crystalline Solids 198–200 (1996) xi–xxv

JOURNAL OF NON-CRYSTALLINE SOLIDS

Contents

Editorial vii
Sponsors viii
Committees ix
Contents Parts I and II xi

Part I

Section 1. The Mott Lecture

Hydrogen in silicon (Invited paper)
E.A. Davis 1

Section 2. Structure

Ultrafast excitation and de-excitation of the Si–H stretching mode in a-Si:H
Z. Xu, P.M. Fauchet, C.W. Rella, H.A. Schwettman and C.C. Tsai 11

Structural heterogeneity in nitrogen-rich a-SiN_x:H
H. Hayashi, S. Matsumoto and Y. Nakayama 15

Nearest-neighbor repulsion-perturbed silicon monohydride bond-stretching vibrations in hydrogenated and deuterated silicon nitrogen alloy films
G. Lucovsky, Z. Jing, P. Santos-Filho, G. Stevens and A. Banerjee 19

Amorphization from the quenched high-pressure phase in tetrahedrally-bonded materials
K. Tsuji, Y. Katayama, H. Kanda and H. Nosaka 24

Roles of bonded hydrogens and oxygen vacancies on crystallization of hydrogenated amorphous indium tin oxide (a-ITO:H) films
M. Ando, M. Takabatake, E. Nishimura, F. Leblanc, K.-i. Onisawa and T. Minemura 28

Structural analysis of amorphous thin films by time of flight mass spectrometry
S. Tsuboi, M. Matsuse, M. Kawasaki, A. Matsuda and H. Koinuma 33

Vibrations of Bethe lattices with an icosahedral basis: application to amorphous boron
K. Shirai, M.F. Thorpe and S. Gonda 36

Section 3. Hydrogen in Si

Incorporation and thermal stability of hydrogen in amorphous silicon and germanium (Invited paper)
W. Beyer 40

Hydrogen-induced defects in polycrystalline silicon (Invited paper)
N.H. Nickel 46

Hydrogen motion in hydrogenated amorphous silicon (a-Si:H)
P. Hari, P.C. Taylor and R.A. Street 52

First principles simulations of local and extended migration of H and defects in a-Si
P.A. Fedders 56
Hydrogen dilution effects on a-Si:H and a-SiGe:H materials properties and solar cell performance
X. Xu, J. Yang and S. Guha 60
Stability of the number of silicon–hydrogen bonds upon photoillumination of undoped amorphous hydrogenated silicon
R.L. Corey, M.J. Kernan, D.J. Leopold, P.A. Fedders, R.E. Norberg, W.A. Turner and W. Paul 65
Characterisation of thin amorphous silicon films with multiple internal reflectance spectroscopy
G. Fameli, D. Della Sala, F. Roca and C. Gerardi 69
Hydrogen passivation of dopants in amorphous silicon
S.M. Pietruszko, M. Pachocki and J. Jang 73
Nuclear magnetic resonance studies of amorphous deuterated silicon nitride thin films
P. Santos-Filho, G. Stevens, G. Lucovsky, T. Cull, P. Fedders, D. Leopold and R. Norberg 77
Hydrogen incorporation in device-quality a-Si:H deposited at low temperature
K. Zellama, L. Nedialkova, Y. Bounouh, L. Chahed, M. Benlahsen, A. Zeinert, V. Paret and M.L. Thèye 81

Section 4. Electronic structure and optical properties

Electronic structure of amorphous semiconductors studied by both X-ray photoelectron and soft X-ray spectroscopies (Invited paper)
C. Sénémaud 85
Topologically determined midgap states in amorphous carbon: five- and sevenfold rings
K. Kádas, I. László and S. Kugler 91
Sulfur doping in a-SiS_x:H
S.L. Wang, J.M. Viner and P.C. Taylor 94
Excitation spectroscopy of photoinduced absorption in amorphous silicon
I. Malinovsky, F. Hajiev, S. Uğur and H. Uğur 98
Intracavity photothermal measurements of ultralow absorption
F. Hajiev, I. Malinovsky and H. Uğur 103
Direct determination of the quadratic electro-optic coefficient in an a-Si:H based waveguide
M. Zelikson, K. Weiser, A. Chack and J. Kanicki 107
Plasma deposited non-stoichiometric hydrogenated germanium sulfide a-$Ge_{1-x}S_x$:H ($x < 0.3$)
T.P. Drüsedau, P. Wickboldt, J.H. Chen, D. Pang, H. Freistedt, J. Bläsing and W. Bock 111
Visible luminescence from Ge nanocrystals embedded in a-$Si_{1-x}O_x$ films: correlation of optical properties and size distribution
M. Zacharias, J. Christen, J. Bäsing and D. Bimberg 115
Detection of optical non-linearities in amorphous semiconductors by caustic crossing in an intensity-modulated laser beam
V.K. Tikhomirov, P. Lievens, N. Qamhieh and G.J. Adriaenssens 119
Phenomenological scaling of optical absorption in amorphous semiconductors
H. Okamoto, K. Hattori and Y. Hamakawa 124
Visible room-temperature photoluminescence from oxidized germanium
J.H. Chen, D. Pang, P. Wickboldt, H.M. Cheong and W. Paul 128
Preparation of new a-SiO_2 by glow discharge decomposition of TICS and its application to photoluminescence absorption spectroscopy
T. Ohsaki, N. Takada, K. Iwama, S. Nitta and S. Nonomura 132
Electronic structure of amorphous germanium–nitrogen alloys: a UV photoelectron spectroscopy study
D. Comedi, A.R. Zanatta, F. Alvarez and I. Chambouleyron 136

Section 5. Transport

Non-linear hopping transport in band tails (Invited paper)
S.D. Baranovskii and P. Thomas 140
The moving-photocarrier-grating technique for the determination of transport parameters in thin film semiconductors (Invited paper)
M. Hundhausen 146
Dual beam and transient infrared stimulated photoconductivity in hydrogenated amorphous silicon at 4.2 K
H. Fritzsche, S. Heck and P. Stradins. 153
AC loss originating from mesoscopic and macroscopic inhomogeneities in hydrogenated amorphous silicon
K. Shimakawa, A. Kondo, M. Goto and A.R. Long 157
Determination of the density of states in amorphous silicon–carbon alloys using a Fourier transformation of transient photocurrent data
P.A. Bayley, J.M. Marshall, C. Main, D.P. Webb, R.A.C.M.M. Van Swaaij and J. Bezemer 161
Working hypothesis to explore novel wide band gap electrically conducting amorphous oxides and examples
H. Hosono, N. Kikuchi, N. Ueda and H. Kawazoe. 165
Time of flight experiments on amorphous and crystalline boron
M. Takeda, K. Kimura and K. Murayama 170
Photoconductive a-GaN prepared by reactive sputtering
S. Nonomura, S. Kobayashi, T. Gotoh, S. Hirata, T. Ohmori, T. Itoh, S. Nitta and K. Morigaki. 174
Observation of Meyer–Neldel rule in extended energy regime using novel a-Si:H TFTs
M. Kondo, Y. Chida and A. Matsuda. 178
Measurement of carrier lifetime in materials exhibiting anomalous dispersion
J.M. Marshall. 182
Identification and explanation of peculiar features in hole SCLC-TOF in a-Si:H pin-diodes from numerical modelling
R. Brüggemann and G.H. Bauer. 186
Comments on space-charge-limited time-of-flight measurements in post-transit mode, applied to a-Si:H based solar cells.
A. Fejfar, G. Juška and J. Kočka 190
Fundamental transport mechanisms and high field mobility measurements in amorphous silicon
Q. Gu, E.A. Schiff, J.-B. Chevrier and B. Equer 194
Hot-electron induced electroluminescence and avalanche multiplication in hydrogenated amorphous silicon
T. Toyama, K. Hiratsuka, H. Okamoto and Y. Hamakawa 198
Electric field heated electrons in a-Si:H — new features
G. Juška, K. Arlauskas and J. Kočka 202
Transient forward bias switching behaviour of amorphous pin diodes
G. Schmid, N. Bernhard and M.B. Schubert 206
Photo-thermoelectric power of a-Si as a function of incident wavelength
D.I. Jones and F. Goesmann 210
Einstein's relationship for hopping electrons
S.D. Baranovskii, T. Faber, F. Hensel, P. Thomas and G.J. Adriaenssens 214
Effect of pressure on variable range hopping in amorphous semiconductors
H. Nosaka, Y. Katayama and K. Tsuji 218
On the description of hopping-energy relaxation and transport in disordered systems
S.D. Baranovskii, T. Faber, F. Hensel and P. Thomas 222

Difference in transient transport behavior between amorphous inorganic and organic solids
H. Naito and Y. Kanemitsu 226
High field transport in the inversion layer of amorphous silicon thin film transistors
M. Hundhausen, A. Nagy and L. Ley 230
Photocurrent response times in amorphous silicon thin film transistors
R. Schwarz, S. Grebner, P. Popovic and F. Wang 234
Correlation between transport properties of a-Si:H layers and cell performances incorporating these layers
N. Wyrsch, N. Beck, C. Hof, M. Goerlitzer and A. Shah 238
Charge carrier transport in diluted hopping systems
V.I. Arkhipov and H. Bässler 242

Section 6. Recombination

Electroluminescence and forward bias currents in amorphous silicon p–i–n diodes: the effect of steady state bias and large i-layer thickness
R. Carius, F. Becker, R. Brüggemann and H. Wagner 246
Geminate and non-geminate recombination in amorphous silicon (a-Si:H)
M. Schubert, R. Stachowitz and W. Fuhs 251
Distribution of lifetime of photoluminescence in band-edge modulated a-$Si_{1-x}N_x$:H films
C. Ogihara, H. Ishimura, T. Kinoshita, K. Ikeda and K. Morigaki 255
Study of sub-bandgap photo-induced absorption in a-Si:H using excitation spectroscopy in a waveguide configuration
M. Zelikson, K. Weiser and J. Kanicki 259
Sublinear photoconductivity in n-type a-Si:H – analysis and computer modelling
C. Main, F. Dick, S. Reynolds, W. Gao and R.A.G. Gibson 263
Semiclassical model of electrically detected magnetic resonance in undoped a-Si:H
K. Lips, C. Lerner and W. Fuhs 267
Light-intensity dependence of excess carrier lifetimes
G.J. Adriaenssens, S.D. Baranovskii, W. Fuhs, J. Jansen and Ö. Öktü 271
Photoconductivity during 30 ns laser pulses in a-Si:H
P. Tzanetakis, N. Kopidakis and H. Fritzsche 276
A rigid band model for recombination in a-Si alloys
T.-H. Wang and T.M. Searle 280
Lifetime distribution of photoluminescence in a-Si:H based alloys
H. Oheda 284

Section 7. Defects

Modulated photocurrent spectroscopy of defect states in undoped a-Si:H (Invited paper)
K. Hattori, H. Okamoto and Y. Hamakawa 288
The relationship between hydrogen and electronic defects in amorphous silicon (Invited paper)
S.C. Deane and M.J. Powell 295
Time of flight mobility measurements in a-Si:H grown under controlled-energy ion-bombardment
G. Ganguly, I. Sakata and A. Matsuda 300
Precise measurement of the deep defects and surface states in a-Si:H films by absolute CPM
A. Fejfar, A. Poruba, M. Vaněček and J. Kočka 304
Following directly the effect of the various deep states on the phototransport properties of a-Si:H
Y. Lubianiker, I. Balberg, E. Fefer and Y. Shapira 309

Random walk approach for the proper estimation of density of defect states in amorphous chalcogenides
A. Ganjoo, A. Yoshida and K. Shimakawa 313
Thermal bias annealing experiments on aluminum/silicon nitride/hydrogenated amorphous silicon top gate structures
F. Dayoub, J.P. Kleider, C. Longeaud, D. Mencaraglia and J. Reynaud 318
The bias-annealing effect on a-Si:H photodiode
H. Ichinose, Y. Ishizuka, H. Nozaki, A. Furukawa, H. Tango and O. Yoshida 322
Electric field concentration at electrode edge with decreasing amorphous silicon defect density
H. Ihara, E. Oba, Y. Iida, H. Nozaki, T. Wada, A. Furukawa, S. Manabe, H. Tango and O. Yoshida. . 326
Spatial distribution of phosphorus atoms surrounding spin centers of P-doped hydrogenated amorphous silicon elucidated by pulsed ESR
S. Yamasaki, J.-k. Lee, T. Umeda, J. Isoya and K. Tanaka 330
New nitrogen-related defects in nitrogen-rich a-Si_xN_{1-x}:H
D.Q. Chen, J.M. Viner and P.C. Taylor 334
Observation of two creation processes for light-induced paramagnetic spins in a-$Si_{1-x}O_x$:H alloys
J. Zhang, M. Kumeda and T. Shimizu 338
Defect metastability associated with oxygen and nitrogen impurity atoms in hydrogenated amorphous silicon films
G. Lucovsky and Z. Jing 342
Mechanism of Staebler–Wronski effect: negative effective-U and positive effective-U nature of the bistable dangling-bonds in a-Si, a-Si:H and c-Si by ab initio molecular-dynamics simulation
N. Orita, T. Matsumura and H. Katayama-Yoshida 347
Stable and metastable defect distributions in undoped and doped a-Si:H obtained from analysis of the constant photocurrent method
F. Siebke and H. Stiebig 351
Density of states and capture cross-sections in annealed and light-soaked hydrogenated amorphous silicon layers
C. Longeaud and J.P. Kleider 355
Distribution of dangling bonds in light-soaked and in high-temperature-annealed a-Si:H
J.-H. Zhou, M. Kumeda and T. Shimizu 359
Density of states in amorphous semiconductors determined from transient photoconductivity experiment: computer simulation and experiment
H. Naito, T. Nagase, T. Ishii, M. Okuda, T. Kawaguchi and S. Maruno 363
Electron and hole-spin densities in undoped illuminated a-Si:H
R. Saleh, I. Ulber, W. Fuhs and H. Mell 367
Defect density of a-Si:H films grown at high deposition rates
B. Alhallani, G. Suchaneck, J. Schmal, R. Staub, B. Adolphi and K. Drescher 371
Defects in magnetron-sputtered a-$Ge_{1-x}N_x$:H
H. Min, S. Ueda, N. Ishii, M. Kumeda and T. Shimizu 375
Preparation and properties of a-$Ge_{1-x}N_x$
H. Yokomichi, T. Okina, M. Kondo and Y. Toyoshima. 379
Localized states of a-GaP:N by nitrogen ion beam assisted deposition
H. Kubota, T. Tashiro, T. Fujiyoshi, T. Hirayu and M. Onuki 383
Defect-pool model for doped a-Si:H
J. Schmal 387
A novel approach to the analysis of sub-bandgap absorption in a-Si:H based materials
I.-S. Chen, L. Jiao, R.W. Collins and C.R. Wronski 391
Origin of charged dangling bonds in nitrogen-doped hydrogenated amorphous silicon
A. Masuda, K.-i. Itoh, M. Kumeda and T. Shimizu 395

Band tails and defect density in p-type doped hydrogenated amorphous germanium
D. Comedi, F. Fajardo and I. Chambouleyron 399

Properties of amorphous boron nitride thin films
R. Zedlitz, M. Heintze and M.B. Schubert 403

Section 8. Stability and equilibration

Equilibration and stability in undoped amorphous silicon (Invited paper)
S. Wagner, H. Gleskova and J.-i. Nakata 407

Light-induced metastability of 'stable' a-Si:H deposited from silane-dichlorosilane mixtures – comprehensive characterization
N. Hata, I.S. Osborne, T. Ikeda, R. Durny and A. Matsuda 415

Improved stability of a-Si:H fabricated from SiH_2Cl_2 by ECR hydrogen plasma
M. Azuma, T. Yokoi and I. Shimizu 419

Stability of the mobility–lifetime product of holes in undoped a-Si:H under illumination
F. Wang and R. Schwarz 423

Creation of interface states between SiO_2 and a-Si:H in a-Si:H thin film transistors by bias-stress
S.K. Kim, K.S. Lee and J. Jang 428

Light-induced metastable changes in defect density and photoconductivity of a-Si:H between 4.2 and 300 K
P. Stradins and H. Fritzsche 432

Creation of metastable defects in a-Si:H by keV-electron irradiation at different temperatures
F. Diehl, W. Herbst, S. Bauer, B. Schröder and H. Oechsner 436

On the lack of observable light-induced H diffusion near room temperature
H.M. Branz, J. Bullock, S. Asher, H. Gleskova and S. Wagner 441

Dependence of the equilibration temperature on hydrogen content in doped amorphous silicon
S.M. Pietruszko, J. Olszewski and A.V. Zherzdev 445

Influence of the dilute-phase SiH bond concentration on the steady-state defect density in a-Si:H
C. Godet, P. Morin and P. Roca i Cabarrocas 449

What causes the inverse Staebler–Wronski effect in p-type a-Si:H?
M. Isomura, T. Kinoshita and S. Tsuda 453

Short-laser-pulse and steady-light induced degradation of intrinsic, p-type and compensated a-Si:H
P. Tzanetakis, N. Kopidakis, M. Androulidaki, C. Kalpouzos, P. Stradins and H. Fritzsche 458

Some aspects on an improved stability of a-Si:H and a-Ge:H films with respect to their microstructure
S. Bauer, T. Haage, B. Schröder and H. Oechsner 462

Comparative study of light-induced photoconductivity decay in hydrogenated amorphous silicon
W. Beyer and H. Mell 466

Non-monotone kinetics of persistent photoconductivity in compensated a-Si:H films
A.G. Kazanskii, I.A. Kurova, I.P. Zvyagin and D.G. Yarkin 470

Stability versus structure in glow discharge hydrogenated amorphous silicon obtained from a wide range of deposition conditions
S. Vignoli, R. Meaudre, M. Meaudre, P. Roca i Cabarrocas, C. Godet and P. Morin 474

Influence of annealing above the deposition temperature on metastability in amorphous silicon
M. Vaněček, J. Fric, A. Poruba, A.H. Mahan and R.S. Crandall 478

Density of states and photoconductivity light degradation in a-Si:H at different temperatures
L. Mariucci, G. Sinno, C. Minarini and A. Mittiga 482

Dispersive processes in the annealing of light- and thermally-induced dangling bonds in a-Si:H
K. Takeda, H. Hikita, Y. Kimura, H. Yokomichi and K. Morigaki 486

Light-soaking in a-SiC:H films grown by PECVD in undiluted and hydrogen diluted $SiH_4 + CH_4$ gas mixtures
M. Fathallah, R. Gharbi, G. Crovini, F. Demichelis, F. Giorgis, C.F. Pirri, E. Tresso and P. Rava . . . 490
Photocreated neutral dangling bonds in N-doped and undoped a-Si:H films
Q. Zhang, H. Takashima, M. Kumeda and T. Shimizu . . . 495
The isochronal annealing study on the bias stressed amorphous silicon thin film transistors
C.-S. Hwang, B.S. Bae and C. Lee . . . 499

Section 9. Anomalous relaxation (Focussed session)

Introduction to focused session on 'anomalous relaxation'
F. Yonezawa . . . 503
Anomalous relaxation in fractal and disordered systems (Invited paper)
S. Fujiwara and F. Yonezawa . . . 507
Bias light induced defect relaxation phenomena in hydrogenated amorphous silicon
J.D. Cohen and F. Zhong . . . 512
Origin of the anomalous pulse-width dependence in capacitance transient measurements on n-type a-Si:H
W.B. Jackson and N.M. Johnson . . . 517
Continuous time random walk model as a model of anomalous relaxation
S. Gomi and F. Yonezawa . . . 521

Section 10. Relaxation

Emission limited filling of deep defects in transient capacitance experiments
K. Lips, T. Unold, Y. Xu and R.S. Crandall . . . 525
New results using capacitance transient studies to investigate deep defect relaxation in hydrogenated amorphous silicon
D. Kwon, A. Gardner and J.D. Cohen . . . 530
Structural memory model of slow defect relaxation in hydrogenated amorphous silicon
H.M. Branz, T. Unold and P.A. Fedders . . . 535
Improved mobility-lifetime product of holes in a-Si:H n–i–p devices: a consequence of structural relaxation?
M. Cuniot, J. Dixmier and P. Roca i Cabarrocas . . . 540
Ultra-low frequency CPM of a-Si:H and relaxation
S. Hasegawa, S. Nitta and S. Nonomura . . . 544
The quasineutrality condition in amorphous semiconductors: Reformulation of the 'lifetime/relaxation' criterion
A. Shah, J. Hubin, R. Platz, M. Goerlitzer and N. Wyrsch . . . 548
Structural relaxation in glass transition of chalcogenide amorphous semiconductors
K. Matsuishi, H. Ogura, S. Onari and T. Arai . . . 552
Debye to non-Debye relaxation in As–Te–Se glasses
S.S.K. Titus, H. Skauragi, K. Hayashi, A. Kondo and K. Shimakawa . . . 556

Section 11. Silicon-based alloys

Role of hydrogen dilution in improvement of a-SiGe:H alloys
G. Ganguly and A. Matsuda . . . 559
Growth of high quality amorphous silicon–germanium films using low pressure remote electron-cyclotron-resonance discharge
S. Kaushal, V. Dalal and J. Xu . . . 563

Improved a-$Si_{1-x}Ge_x$:H of large x deposited by PECVD
P. Wickboldt, D. Pang, W. Paul, J.H. Chen, F. Zhong, J.D. Cohen, Y. Chen and D.L. Williamson . . . 567

Electronic structure and light induced degradation of amorphous silicon–germanium alloys
F. Zhong, C.-C. Chen and J.D. Cohen 572

Bonding structures in highly photoconductive a-SiC:H films deposited by hybrid-plasma chemical vapor deposition
T. Fujii, M. Yoshimoto, T. Fuyuki and H. Matsunami 577

Device-grade a-SiGe:H alloys prepared by nanometer deposition/H_2 plasma annealing method
J. Xu, K. Shiba, S. Miyazaki, M. Hirose, K. Chen and D. Feng 582

Deposition of microcrystalline hydrogenated silicon,germanium alloy (μc-Si_xGe_{1-x}:H) films by reactive magnetron sputtering (RMS)
S.M. Cho, C. Christensen, G. Lucovsky and D.M. Maher 587

Time-of-flight and post-transit spectroscopy of a-$Si_{1-x}C_x$:H alloys
A. Eliat, B. Yan, G.J. Adriaenssens and J. Bezemer 592

Compositional, optoelectronic and structural properties of amorphous silicon–nitrogen alloys deposited by plasma enhanced chemical vapor deposition
F. Giorgis, P. Rava, R. Galloni, R. Rizzoli, C. Summonte, G. Crovini, F. Demichelis, C.F. Pirri, E. Tresso and V. Rigato 596

Equilibration in amorphous silicon nitride alloys
B. Dunnett, R.A.G. Gibson, D.I. Jones, C.H. Cooper, M.J. Powell, S.C. Deane, I.D. French and D.T. Murley 601

Author index Parts I and II xxvii

Subject index Parts I and II xlvii

Part II

Section 12. Carbons and organic semiconductors

Tetrahedrally bonded amorphous carbon (Invited paper)
W.I. Milne 605

Field emission from a-C:H and a-C:H:N
G.A.J. Amaratunga and S.R.P. Silva 611

Electronic processes in hydrogenated amorphous carbon
J. Robertson. 615

Light generation and transportation in luminescent a-SiC:H thin film waveguides
D. Rüter and W. Bauhofer 619

Optical and luminescence properties of polymer-like a-C:H films deposited in a dual-mode PECVD reactor
J.E. Bourée, C. Godet, B. Drévillon, R. Etemadi, T. Heitz, J. Cernogora and J.L. Fave 623

Cathodic and anodic glow discharge silicon–carbon alloys (a-$Si_{1-x}C_x$:H) from $x = 0.5$ to 1: A comparative study by photoemission (UPS) and photoluminescence (PL)
F. Alvarez, P.I. Rovira, M. Bormioli, S. Souto, L.R. Tessler and S.S. Camargo Jr. 628

Temperature dependence of ^{1}H-NMR relaxation in hydrogenated amorphous carbon sample series
I. Pócsik, M. Koós, S.H. Moustafa, G. Lasanda, P. Bánki and K. Tompa 632

Hydrogen bonding analysis in amorphous hydrogenated carbon by a combination of infrared absorption and thermal effusion experiments
R. Stief, J. Schäfer, J. Ristein, L. Ley and W. Beyer. 636

The density of states of ta-C, ta-C:H and a-C:H as determined by X-ray excited photoelectron spectroscopy and molecular dynamics calculation
J. Schäfer, J. Ristein, L. Ley, U. Stephan and Th. Frauenheim 641
Temperature dependence of electron spin resonance in amorphous carbon films
S. Kugler, A. Jánossy, K. Shimakawa, K. Hayashi and O. Chauvet 646
Preparation and optical properties of doubly-oriented poly-(di-methyl-silane) films
R. Hattori, J. Shirafuji, Y. Aoki, T. Fujiki, S. Kawasaki and R. Nishida 649
Photo-induced structural change in amorphous organic polysilanes: comparison with hydrogenated amorphous silicon
H. Naito, S.-i. Kodama, Q.Z. Kang and M. Okuda 653
Photoinduced annihilation of σ bonds in amorphous poly(methylphenylsilane)
Y. Nakayama, T. Kurando, H. Hayashi, K. Oka and T. Dohmaru 657
Field-induced dissociation of optical excitations in conjugated polymers
V.I. Arkhipov, H. Bässler, M. Deussen, E.O. Göbel, U. Lemmer and R.F. Mahrt 661
Characterization and application of carbazole modified polysiloxanes to electrochromic displays
I.D. Bartlett, J.M. Marshall and J.M. Maud 665

Section 13. Chalcogenides

Vectoral and scalar photoinduced effects in chalcogenide glasses (Invited paper)
S.R. Elliott and V.K. Tikhomirov 669
Comparison between electrical properties and electronic structure of variously-prepared germanium selenide films
G.J. Adriaenssens, A. Gheorghiu, C. Sénémaud, N. Qamhieh, N. Bollé, E. Sleeckx and P. Nagels . . . 675
Optical properties and structure of unhydrogenated, hydrogenated, and zinc-alloyed a-Ge_xSe_{1-x} films prepared by radio-frequency sputtering
J. Choi, A. Singh, E.A. Davis and S.J. Gurman 680
Transient photoconduction and photoinduced phenomenon in ion-conducting amorphous semiconductors
M. Itoh, N. Yoshida, H. Tanaka and K. Tanaka 684
Photoemission and inverse-photoemission study of the electronic structure of p- and n-type amorphous Ge–Se–Bi films
O. Matsuda, T. Ohba, K. Murase, I. Ono, P. Grekos, T. Kouchi, M. Nakatake, M. Tamura, H. Namatame, S. Hosokawa and M. Taniguchi 688
MuSR simulation of hydrogen centres in amorphous semiconductors — the case of germanium selenide glass
A. Singh, E.A. Davis, E. Mytilineou and M. Kay 692
Photoinduced effects in amorphous chalcogenide films by vacuum ultra-violet light
K. Hayashi, D. Kato and K. Shimakawa 696
Raman and infrared spectra of amorphous semiconductors $(GeS_2)_{1-x}(Bi_2S_3)_x$ systems
S. Onari, M. Taniyama, T. Asami, K. Matsuishi and T. Arai 700
High-pressure effects in Si–As–Te amorphous chalcogenide glasses fabricated under microgravity environment
W. Shams-Kolahi, S. Endo, Y. Kobayashi, A. Honda, S. Nakaike, T. Toma, M. Hambach, S. Takeshima, H. Okamoto and Y. Hamakawa 705
Photostructural changes in amorphous selenium: an in situ EXAFS study at low temperature
A.V. Kolobov, H. Oyanagi, K. Tanaka and K. Tanaka 709
Photoinduced phenomena in As_2S_3 glass under sub-bandgap excitation
K. Tanaka and H. Hisakuni 714
Appearance and reorientation of photoinduced anisotropy in chalcogenide glassy films
V. Lyubin, M. Klebanov, V. Tikhomirov and G. Adriaenssens 719

Thermally and photo-induced irreversible changes in the optical properties of amorphous Ge_xSe_{100-x} films
E. Sleeckx, L. Tichý, P. Nagels and R. Callaerts 723

On the origin of p-type conductivity in amorphous chalcogenides
A.V. Kolobov 728

Photoluminescence study of glassy $Ge(S_xSe_{1-x})_2$
Y. Wada, Y. Wang, O. Matsuda, K. Inoue and K. Murase 732

Structural properties of As_2Se_3 fibers
P. Hari, P.C. Taylor, W.A. King and W.C. LaCourse 736

Laser spot size dependence of photo-induced crystallization process in amorphous $GeSe_2$ film
M. Nakamura, Y. Wang, O. Matsuda, K. Inoue and K. Murase 740

Kinetics and reaction products of the photo-induced solid state chemical reaction between silver and amorphous $(As_{0.33}S_{0.67})_{100-x}Te_x$ layers
T. Wagner, M. Vlček, K. Nejezchleb, M. Frumar, V. Zima, V. Peřina and P.J.S. Ewen 744

Photo- and electron-induced chemical modifications in Ag–As(Ge)–S(Se) glasses
N. Yoshida, M. Itoh and K. Tanaka 749

Temperature dependence of Raman spectra in amorphous, crystalline and liquid $GeSe_2$
Y. Wang, M. Nakamura, O. Matsuda, K. Inoue and K. Murase 753

Heating rate dependence of phase transition temperature in Se_7Te_3 glasses
K. Nakayama, K. Kojima, I. Tamaru, Y. Masaki, A. Kitagawa and M. Suzuki 758

A model for the photo-electro ionic phenomena in chalcogenide glasses
M. Aniya 762

Fabrication and testing of microlens arrays for the IR based on chalcogenide glassy resists
N.P. Eisenberg, M. Manevich, M. Klebanov, V. Lyubin and S. Shtutina 766

Photodarkening in As–S films and its application in grating fabrication
A. Zakery, P.J.S. Ewen and A.E. Owen 769

Spectral inhomogeneity – a key issue for understanding relaxation in amorphous matter
I. Pócsik and M. Koós 774

Section 14. Interfaces and multilayers

Investigation of interface state density between a-Si:H and insulating layers by ESR and photothermal deflection spectroscopy
I. Umezu, K. Kitamura and K. Maeda 778

Observation of zero differential resistivity in a-Si:H barriers — on the absence of quantum confinement in amorphous semiconductors for high fields
T.P. Drüsedau 782

Atomic force microscopy and scanning tunneling microscopy studies on the growth mechanism of a-Si:H film on graphite substrate
M. Matsuse, S. Tsuboi, T. Arakane, M. Kawasaki and H. Koinuma 787

Excitation spectrum of luminescence in a-Si:H/a-Si_3N_4:H multilayers
K. Murayama, T. Toyama, S. Miyazaki and M. Hirose 792

Dependence of light propagation in random multilayers a-Si:H/a-Si_3N_{4+x}:H on incident angle, delocalization of p-polarized light and its explanation by extended Brewster angle: Experiments and simulation
Y. Yamada, S. Takeuchi, S. Nitta and S. Nonomura 796

Modulation doping in a-Si:H/a-Ge:H multilayer structures
K. Yamashita, H. Deki, S. Miyazaki and M. Hirose 800

Interlayer coupling effect in low temperature magnetoresistance of amorphous Si/Nb multilayer films
Y. Ochiai, J.P. Bird and T. Kitatani 804

Optical properties of amorphous As_2Se_3/As_2S_8 multilayers
H. Hamanaka, S. Konagai, K. Murayama, M. Yamaguchi and K. Morigaki 808
Examination of (crystallized a-Ge:H)/a-SiN_x:H multilayers which display photoluminescence
P. Wickboldt, D. Pang, J.H. Chen, H.M. Cheong and W. Paul 813
Implication of subband broadening in the quantum well of a-Si:H/a-Ge:H multilayers
M. Ohmura, H. Deki, K. Yamashita, S. Miyazaki and M. Hirose 817
Microstructures and optical properties in crystallized a-Si:H multi-quantum wells using excimer laser annealing
X. Huang, Z. Li, W. Wu, K. Chen, X. Chen and Z. Liu 821
Theory of room temperature quantized resistance effects in metal-a-Si:H-metal thin film structures
J. Hajto, B. McAuley, A.J. Snell and A.E. Owen 825
The hydrogenated amorphous silicon/nanodisperse metal (SIMAL) system – Films of unique electronic properties
T.P. Drüsedau, A.N. Panckow and F. Klabunde 829
Visible electroluminescence from crystallized a-Si:H/a-SiN_X:H multiquantum well structures
K. Chen, M. Wang, W. Shi, L. Jiang, W. Li, J. Xu and X. Huang 833

Section 15. Nanocrystalline silicon (Focussed session)

Summary of a focused session on nanocrystalline Si
J. Robertson and K. Tanaka 837
Light from Si-nanoparticle systems — a comprehensive view (Invited paper)
F. Koch and V. Petrova-Koch 840
Formation and electronic states of Si nanocrystallites in amorphous Si
X. Zhao, S. Nomura, Y. Aoyagi and T. Sugano 847
A comparison of the optical properties of ultrathin amorphous and crystalline silicon films
H.V. Nguyen, S. Kim, Y. Lu, M. Wakagi and R.W. Collins 853

Section 16. Microcrystalline and porous silicon

Light emitting silicon, recent progress (Invited paper)
J. Kočka, I. Pelant and A. Fejfar 857
STM and Raman study of the evolution of the surface morphology in μc-Si:H
K. Ikuta, Y. Toyoshima, S. Yamasaki, A. Matsuda and K. Tanaka 863
The grain size in microcrystalline silicon: correlation between atomic force microscopy, UV reflectometry, ellipsometry, and X-ray diffractometry
E. Bardet, J.E. Bourée, M. Cuniot, J. Dixmier, P. Elkaim, J. Le Duigou, A.R. Middya and J. Perrin . . 867
Microcrystalline silicon growth by the layer-by-layer technique: long term evolution and nucleation mechanisms
P. Roca i Cabarrocas, N. Layadi, B. Drevillon and I. Solomon 871
Nanocrystalline silicon formation in a SiH_4 plasma cell
M. Otobe, T. Kanai, T. Ifuku, H. Yajima and S. Oda 875
Direct fabrication of SiGe crystallites on glass substrate: from nanocrystals to microcrystals
J.-i. Hanna, T. Ohuchi and M. Yamamoto 879
Fabrication of high-quality poly-Si thin films combined with in situ real-time spectroscopic ellipsometry
T. Akasaka and I. Shimizu 883
Laser induced nucleation and growth of polycrystalline silicon
D. Toet, S. Eitel, P.V. Santos and M. Heintze 887
The effect of hydrogen species on the electronic properties of nc-Si:H prepared in a triode PECVD system
K. Chen, H. Qin, X. Huang, K. Ikuta, A. Matsuda and K. Tanaka 891

Deposition of nanocrystalline silicon films (nc-Si:H) from a pure ECWR-SiH_4 plasma
M. Scheib, B. Schröder and H. Oechsner 895

Nanocrystalline silicon — from disordered insulator to dirty metal
M. Taguchi, Y. Tsutsumi, R.N. Bhatt and S. Wagner 899

Enhanced optical absorption in microcrystalline silicon
N. Beck, J. Meier, J. Fric, Z. Remeš, A. Poruba, R. Flückiger, J. Pohl, A. Shah and M. Vaněček 903

Optoelectronic properties of highly conductive microcrystalline SiC produced by laser crystallisation of amorphous SiC
S.P. Lau, J.M. Marshall and L.R. Tessler 907

Quantum size effects on the conductivity in porous silicon
W.H. Lee, C. Lee and J. Jang 911

Photoluminescence from silicon chainlike structures in a-SiO_x:H films
Y. Nakayama, M. Uecha and T. Ikeda 915

Ge nanocrystals with a sharp size distribution: A detailed study of the crystallization of a-$Si_{1-x}O_xGe_y$ alloy films
M. Zacharias, J. Bläsing, J. Christen and U. Wendt 919

Correlation between structural, optical and electrical properties of μc-Si films
R. Krankenhagen, M. Schmidt, S. Grebner, M. Poschenrieder, W. Henrion, I. Sieber, S. Koynov and R. Schwarz 923

Structural investigation and growth of ⟨n⟩-type microcrystalline silicon prepared at different plasma excitation frequencies
P. Hapke, M. Luysberg, R. Carius, M. Tzolov, F. Finger and H. Wagner 927

Role of hydrogen in the growth of hydrogenated microcrystalline silicon
H. Shirai and T. Arai 931

High rate deposition of μc-Si with plasma gun CVD
N. Imajyo 935

High-quality polycrystalline silicon thin film prepared by a solid phase crystallization method
T. Matsuyama, N. Terada, T. Baba, T. Sawada, S. Tsuge, K. Wakisaka and S. Tsuda 940

Pulsed-laser-induced crystallization of fluorinated amorphous and microcrystalline silicon films
H.S. Choi, K.H. Jang, B.H. Min, M.K. Han and J. Jang 945

Porous silicon as a near-ideal disordered semiconductor
Y. Lubianiker, I. Balberg, J. Partee and J. Shinar 949

Phonon-assisted luminescence excitation in porous silicon
K. Murayama, H. Komatsu, S. Miyazaki and M. Hirose 953

The femtosecond optical response of porous, amorphous and crystalline silicon
J. von Behren, Y. Kostoulas, K. Burak Üçer and P.M. Fauchet 957

Green and blue light emitting devices using Si-based porous materials
H. Mimura, T. Matsumoto and Y. Kanemitsu 961

Time-resolved photoluminescence of porous silicon under double-pulse excitation
S. Komuro, T. Morikawa, P. O'Keeffe and Y. Aoyagi 965

Oxygen plasma induced enhancement and fatigue-suppression of the photoluminescence from porous Si
P. O'Keeffe, S. Komuro, T. Morikawa and Y. Aoyagi 969

Electrical characterization of visible emitting electroluminescent Schottky diodes based on n-type porous silicon and on highly doped n-type porous polysilicon
S. Lazarouk, V. Bondarenko, P. Jaguiro, N. Lacquaniti, S. La Monica, G. Maiello, G. Masini and A. Ferrari 973

Non-linear optical properties of porous silicon
Y. Kanemitsu, T. Matsumoto and H. Mimura 977

Section 17. Growth

Insights into deposition processes for amorphous semiconductor materials and devices from real time spectroscopic ellipsometry (Invited paper)
R.W. Collins, J.S. Burnham, S. Kim, J. Koh, Y. Lu and C.R. Wronski 981

Enhancement of the deposition rate of a-Si:H by introduction of an electronegative molecule into a silane discharge
T. Ikeda, I.S. Osborne, N. Hata and A. Matsuda 987

Steady state defect density and annealing kinetics of light-induced defects in a-Si:H deposited from 'new' deposition techniques
I.S. Osborne, N. Hata and A. Matsuda 991

The surface reaction in the high-rate growth of a-Si:H,Cl from $SiH_2Cl_2 + SiH_4$
M. Nakata and S. Wagner 995

A study of surface reactions during the growth of B-doped a-Si:H using the intermittent deposition technique
T. Kamei, N. Hata and A. Matsuda 999

A new deposition parameter to control the carrier drift mobility in a-Si:H
G. Ganguly and A. Matsuda 1003

Effect of ion bombardment during plasma CVD on the film properties of a-Si:H studied by IEC plasma CVD
T. Sasaki and Y. Ichikawa 1007

Initial stages of microcrystalline silicon film growth
S. Koynov, S. Grebner, P. Radojkovic, E. Hartmann, R. Schwarz, L. Vasilev, R. Krankenhagen, I. Sieber, W. Henrion and M. Schmidt 1012

Characteristics of a-Si:H films prepared by a novel laminar flow photo-chemical vapor deposition method
T. Yamaguchi, Y. Iida, A. Furukawa, Y. Ishizuka, H. Nozaki, S. Manabe, H. Tango and O. Yoshida . 1017

Improvement of surface morphology and bulk structure of a-SiC:H films
Y. Ishizuka, T. Yamaguchi, Y. Iida, H. Nozaki, A. Furukawa, H. Tango and O. Yoshida 1021

Selective deposition of amorphous germanium on Si with respect to SiO_2 by organometallic CVD
J. Prokop, R. Merica, F. Glatz, S. Veprek, F.-R. Klingan and W.A. Herrmann 1026

Real time observations of surface reactions during a-Si:H deposition or H_2 plasma annealing by using FT-IR-ATR
Y. Miyoshi, Y. Yoshida, S. Miyazaki and M. Hirose 1029

Measurement of the concentration of hydrogen radicals and their recombination probability on a-Si:H
N. Tsuji, T. Akiyama and H. Komiyama 1034

New diagnostic aspects of high rate a-Si:H deposition in a VHF plasma
M. Heintze and R. Zedlitz 1038

Behavior of surface hydrogen on a-Ge:H
Y. Toyoshima, A. Matsuda and K. Arai 1042

Fabrication of high quality silicon related films with band-gap of 1.5 eV by chemical annealing
W. Futako, K. Yoshino, K. Nakamura, C.M. Fortmann and I. Shimizu 1046

A new helix plasma source for VHF PECVD of a-Si:H
K. Schade, J. Kuske, O. Steinke, U. Stephan, T. Blum and W. Beyer 1050

Characteristics of the hot-wire CVD reactor on a-Si:H deposition
N. Tsuji, T. Akiyama and H. Komiyama 1054

The effect of hydrogen dilution on the aminosilane plasma regime used to deposit nitrogen-rich amorphous silicon nitride
D. Murley, I. French, S. Deane and R. Gibson 1058

Improved quality of high deposition rate a-Si:H films prepared at usual substrate temperature
B. Alhallani, R. Tews, G. Suchaneck, S. Röhlecke, A. Kottwitz and K. Schade 1063

Low band gap amorphous silicon deposited under He dilution in the γ regime of an rf glow discharge: properties and stability
A.R. Middya, S. Hazra, S. Ray, A.K. Barua and C. Longeaud 1067

Preparation, structural and optical properties of novel hydrogenated and fluorinated amorphous silicon–sulfur alloys
S. Al-Dallal, S. Arekat, S.M. Al-Alawi, S. Aljishi and R. Bannai 1072

Section 18. Solar cells and thin-film transistors

Material and device consideration for high efficiency a-Si alloy-based multijunction cells (Invited paper)
S. Guha 1076

Film-substrate a-Si solar cells with a new monolithic series-connected structure (Invited paper)
Y. Ichikawa, K. Tabuchi, A. Takano, S. Fujikake, T. Yoshida and H. Sakai 1081

Amorphous silicon thin film transistors and application to image sensors (Invited paper)
S. Tomiyama, T. Ozawa, H. Ito and T. Nakamura 1087

Performance of p–i–n solar cells with intrinsic μc-Si:H layer
K. Saitoh, N. Ishiguro, N. Yanagawa, H. Tanaka, M. Sadamoto, S. Fukuda, Y. Ashida and N. Fukuda 1093

Effect of optical gap on the stability of a-SiGe solar cells
A. Terakawa, M. Isomura and S. Tsuda 1097

Significant improvements in stability of amorphous silicon solar cells by using ECR deposition
V.L. Dalal, S. Kaushal, R. Knox, K. Han and F. Martin 1101

Improvement of the quality of a-SiGe:H films
M. Sadamoto, K. Saitoh, N. Ishiguro, N. Yanagawa, H. Tanaka, S. Fukuda, Y. Ashida and N. Fukuda 1105

Fabrication and properties of flexible a-Si:H solar cells with textured Al–Si alloy electrodes
I. Ikeo, H. Morooka, H. Shinohara, A. Takenouchi, N. Takagi and Y. Arai 1109

Effect of ion bombardment during deposition of amorphous silicon and silicon–germanium alloy solar cells
X. Xu, J. Yang and S. Guha 1113

Spin-dependent transport in amorphous silicon thin-film transistors
C.F.O. Graeff, G. Kawachi, M.S. Brandt, M. Stutzmann and M.J. Powell 1117

Interpretation of mechanism determining field effect mobility in a-Si:H TFT based on surface reaction model
Y. Chida, M. Kondo and A. Matsuda. 1121

Electron localization in band-tail transport of high-mobility poly-Si TFTs
S. Ishida, S. Takaoka, K. Nakagawa, K. Oto, K. Murase, S. Shirai and T. Serikawa. 1125

Importance of first layer thickness on TFT characteristics using a-Si:H deposited by 2-step process
T. Kashiro, S.-i. Kawamura, N. Imai, K. Fukuda, K. Matsumura and N. Ibaraki 1130

New a-Si:H two-terminal switching device for active display
D. Caputo and G. de Cesare 1134

Switching performance of high rate deposition processing a-Si:H TFTs
K. Fukuda, N. Imai, S.-i. Kawamura, K. Matsumura and N. Ibaraki 1137

Low temperature fabrication of APCVD a-Si thin film transistors with ion doped layer
K.H. Lee, J.H. Yoo, B.Y. Moon, J.H. Jung, J. Jang, S.M. Pietruszko, M.K. Han and H.R. Park. 1141

Section 19. Sensors and other devices

Prospects for utilizing low temperature amorphous to crystalline phase transformation to define circuit elements; a new frontier for very large scale integrated technology
C.M. Fortmann and I. Shimizu 1146

Two-dimensional amorphous silicon image sensor arrays
R.A. Street, X.D. Wu, R. Weisfield, S. Ready, R. Apte, M. Ngyuen, W.B. Jackson and P. Nylen. . . . 1151

Reverse bias currents in amorphous silicon nip sensors
E.A. Schiff, R.A. Street and R.L. Weisfield 1155

Amorphous silicon p–i–n diodes, deposited by the VHF-GD process: new experimental results.
P. Chabloz, H. Keppner, D. Fischer, D. Link and A. Shah 1159

Semi-transparent a-SiC:H solar cells for self-powered photovoltaic–electrochromic devices
J.N. Bullock, C. Bechinger, D.K. Benson and H.M. Branz 1163

Distribution of charged defects in a:Si–H n–i Schottky barrier solar cells
H. Liu, L. Jiao, S. Semoushkina and C.R. Wronski 1168

Amorphous silicon optical spectrum analyzer for the visible range
D. Caputo, F. Irrera, F. Palma, S.R. Rachele and M. Tucci 1172

The fabrication and application of a novel OASLM based on a-Si:H and its alloy
X. Gu, J. Du, X. Huang, J. Zhou, W. Li, W. Gao and K. Chen 1176

Stacked a-SiC:H/a-Si:H heterostructures for bias-controlled three-colour detectors
M. Topič, F. Smole, J. Furlan and W. Kusian. 1180

Transient photocurrent response of a-Si:H based three-color nipin detector
H. Stiebig, C. Ulrichs, T. Kulessa, J. Fölsch, F. Finger and H. Wagner 1185

Variable spectral response photodetector based on crystalline/amorphous silicon heterostructure
G. de Cesare, F. Galluzzi, F. Irrera, D. Lauta, F. Ferrazza and M. Tucci. 1189

Amorphous and microcrystalline silicon p–i–n optical speed sensors based on the flying spot technique
M. Vieira, A. Fantoni, S. Koynov, J. Cruz, A. Maçarico and R. Martins. 1193

Amorphous silicon UV photodetectors with rejection of the visible spectrum
G. de Cesare, V. Iorio, F. Irrera, F. Palma and M. Tucci 1198

Static and dynamic resolution of 1D thin film position sensitive detector
R. Martins and E. Fortunato 1202

On the a-Si:H film growth: the role of the powder formation
A. Maçarico, M. Vieira, A. Fantoni, P. Louro, A. Sêco, R. Martins and C. Hollenstein 1207

A linear array thin film position sensitive detector for 3D measurements
E. Fortunato, F. Soares, G. Lavareda and R. Martins 1212

Critical behavior of the dielectric properties near the metal–non-metal transition in Cr/p^+a-Si:H/V thin film devices
J. Hu, A.J. Snell, J. Hajto, A.E. Owen and M.J. Rose 1217

Evaluation of the DICE analysis method for a-Si:H p–i–n devices
W. Gao, C. Main, S. Reynolds, R. Brüggemann, J.H. Zollondz and R.A.G. Gibson 1221

Amorphous SiO:H thin film visible light emitting diode
W. Boonkosum, D. Kruangam, B. Ratwises, T. Sujaridchai, S. Panyakeow, S. Fujikake and H. Sakai . 1226

Author index Parts I and II 1231

Subject index Parts I and II 1251